DECON-SPORE 200° Plus

Sterllant, Sporicidal, and Virucide for the Pharmaceutical and Cosmetic Industry

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO

FOR COMMERCIAL USE STRONG OXIDIZING AGENT EPA Reg. No. 1677-129-68959 FPA Fst. 68950-PA-1

Net Contents: 12x16 oz. (192 oz./ 5.8L)

Net Contents: 4x1 Gallon (4 gal/ 15L)

For Spill/Exposure Emergency Response Service call CARECHEM 24 at 866-928-0789.

Container and Product Sterilized and Distributed By:

15 Lee Blvd. Malvern, PA 19355-1234 Tel: 610-644-8335

Tel: 610-644-8335 Fax: 610-644-8336 www.sterile.com

US and Foreign Patents, www.sterile.com/patents

Refer to SDS#; VEL-120 for additional product hazard information.
DS200-SSM-00 • I-16 REV 10/16 • Sterile

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE: Causes Irreversible eye damage and skin burns. May be tatal if inhaled. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Do not breathe vapor. Wash thoroughly after handling with soap and water and before eating, drinking, chewing gum, using tobacco, or using the tollet. Remove contaminated clothing and wash clothing before reuse. The following Personal Protective Equipment (PPE) must be used when handling the product: coveralls over long-sleeved shirt and long pants, socks and chemical-resistant tootwear, goggles or face shield, chemical-resistant gloves (such as rubber or made out of any waterproof material), chemical-resistant apron. Wear a mask or pesticide respirator jointly approved by Mine Safety and Health Administration and the National Institute for Occupational Safety and Health.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a polson control center or doctor for treatment advice. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plently of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance and then give artificial respiration, preferably mouth-to-mouth, if possible, Call a poison control center or doctor for further treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PHYSICAL AND CHEMICAL HAZARDS: Strong oxidizing agent. Corrosive. Do not use in concentrated form. Mix only with water according to label instructions. Never bring concentrate in contact with other sanitizers, cleaners or organic substances.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

VIRUCIDAL

At 0.4% to 1.0% (2 oz. / 4 gallons to 5 oz. / 4 gallons of water) DECON-SPORE 200 *Plus* is effective against Influenza B/Taiwan/2/62, Influenza A(H3N2) and Influenza A (H1N1) when used at (20 °C) (68 °F) with a 10 minute contact time in the presence of 500 ppm hard water and organic soil. Apply as directed under disinfection.

STERILIZATION

Sterilization of Manufacturing, Filling, and Packaging Equipment in Aseptic Processes

Prior to use of this product, remove gross soil particles from processing surfaces, then wash with a recommended detergent solution, followed by a thorough potable water rinse. Prepare a sterilizing solution by dilluting 6.4 ounces DECON-SPORE 200 Plus concentrate per each gallon of water (50 McMiletr) (5.0% V/V). Circulate, coarse spray, or flood the sterilizing solution through the system. All surfaces must be exposed to the sterilizing solution for a minimum exposure time based on the product solution temperature. The following time and temperature relationships are required:

DECON-SPORE 200 Plus

Temperature	Time
68° F (20° C)	6 hours
122° F (50° C)	20 minutes
176° F (80° C)	5 minutes
	68° F (20° C) 122° F (50° C)

Thoroughly rinse food contact surfaces with either a sterile water or potable

water rinse. For food-contact surfaces, follow with a sanitizing solution of DECON-SPORE 200 *Plus*. Allow surfaces to drain thoroughly prior to any food product contact.

This product is an effective sporicide against *Bacillus subtilis* (ATCC 19659) and *Clostridium sporogenes* (ATCC 3584) when used per the label directions.

NOTE: This product in its use solutions is compatible with stainless steel and aluminum surfaces. If product is intended to be used on any other surface, it is recommended that you apply product to a smaller test area to determine compatibility before proceeding with its use

STORAGE & DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.

PESTICIDE STORAGE: Product should be kept cool and in a vented container to avoid any explosion hazard.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING AND DISPOSAL:

Non-refillable container. Do not reuse or refill this container. Triple rinse as follows: Fill container 1/4 full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat procedure two more times. Then offer for recycling or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by inclineration.

Made in USA