

PRODUCT SAFETY DATA SHEET

1. Identification

Product identifier used on the label:

Polystyrene Sheet

Other means of identification:

Plastic Sheet

Synonyms:

Not applicable

Recommended use of the product and

Dunnage, Building Construction

restrictions on use:

Do not use without applicable controls in place

Name, address, and telephone number

Primex Plastics Corporation 1235 North F Street

of the chemical manufacturer,

Richmond, IN 47374

importer, or other responsible party:

147374 800-222-5116

Emergency phone number:

800-263-2859

2. Hazard(s) identification

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on the existing health data for individual components which comprise the mixture.

i. The ingredients in this product are bound in a thermoplastic resin matrix. In accordance with GHS for the classification of the product, the hazard potential may be assessed with respect to the physic-chemical form and/or bioavailability of the individual components in the thermoplastic resin. ii. Where GHS classifications are shown below, these are based on individual components in the thermoplastic resin matrix. Under typical use conditions for the product, these hazardous components are unlikely to contribute to the workplace exposure. Please read the entire safety data sheet and/or consult an EHS professional for a complete understanding.

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

This product is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

GHS classification:

None

Signal word:

None

Hazard statements:

None

Precautionary statements:

This product contains no substances which, at their given concentration,

are considered to be hazardous to health.

Prevention:

Obtain special instructions before use.

Do not handle until all safety precautions have been read and

understood.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face

protection.

Response:

If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Storage:

No information available

Disposal:

Dispose of contents/container in accordance with

local/regional/national/international regulation for hazardous wastes.





Hazards not otherwise classified: COMBUSTIBLE DUST: If small particles are generated during further

processing, handling, or by other means, combustible dust

concentrations in air may form. Fine dust clouds may form explosive mixtures with air. Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat. In the event that combustible dust is generated, the hazard is posed only by the size of the particle not its chemical content because all monomers, additives and pigment are totally encapsulated

within the resin and cannot be released in pure form.

Additional Information: Can burn in a fire creating dense, toxic smoke. Molten plastic can cause

severe thermal burns. Fumes produced during melt processing may cause eye, skin and respiratory tract irritation. Severe over-exposure may result in nausea, headache, chills and fever. See below for additional effects.

3. Composition/information on ingredients

Chemical component:	Common name and synonyms	CAS Number	Concentration (%)
Styrene, 1,3-Butadiene Copolymer	Polystyrene	9003-55-8	95-100%

This product consists primarily of high molecular weight polymers which are not expected to be hazardous. The ingredients in this product are present within the polymer matrix and are not expected to be hazardous.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation: Remove individual to fresh air after an airborne exposure if any

symptoms develop, as a precautionary measure.

Eyes: If there is contact to the eyes with molten material, rinse cautiously with

water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing and seek immediate medical attention. If fines enter the eye, rinse with water for 15 minutes and seek immediate medical

attention if irritation develops.

Skin Contact: Wash with soap and water. If skin has contact with molten material,

place affected area under cold running water.

Ingestion: No hazard in normal industrial use.

Most important symptoms/effects,

acute and delayed:

No data available

Indication of immediate medical

attention and special treatment needed, if necessary:

Gasses and fumes during thermal processing or the decomposition of this

material may irritate eyes, skin or respiratory tract.

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:





Suitable extinguishing media:
Unsuitable extinguishing media:
Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products):
Special protective equipment and precautions for fire-fighters:

Use extinguishing media appropriate for surrounding fire.

Do not use a solid water stream as it may scatter and spread the fire Irritating and toxic gasses and aerosols may be generated by thermal decomposition. Hazardous combustion products include: carbon dioxides, hydrocarbons, hydrogen cyanide and nitrogen oxides.

Use methods appropriate for surrounding materials.

Firefighters should be equipped with self-contained breathing apparatus.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Methods and materials for containment and cleaning up:

Processing dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive cloud if dispersed.

Avoid cleaning dust surfaces with compressed air. Collect and discard in regular trash.

7. Handling and storage

Precautions for safe handling:

Electrostatic charge may accumulate and create a possible hazardous condition when handling this material. To minimize this hazard, bonding and grounding of equipment may be necessary.

Conditions for safe storage, including any incompatibilities:

Conditions for safe storage:

Store locked up.

Materials to avoid/chemical

Protect against flame and intense heat.

incompatibilities:

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical Name	US OSHA PEL (8Hr)	ACGIH	Canada - (8Hr.)
Oncomou (Vante	OO COLLATIEL (GIII)	STEL: 40 ppm;	Canada - (Orii.)
Styrene 100-42-5	FRL_STEL:425 mg/m ³	TWA:	OEL_15 mins: 170
	400	20 pp; Notations:	
	100 ppm; FRL_TWA	Not	mg/m³, 40 ppm
	215 mg/m ^{3,} 50 ppm	classified as a human	OEL_15 mins: 170
- "	TL_PEL:	carcinogen	8 hr.: 85 mg/m ³
		BEI; Crit Eff: CNS	20 ppm
		impairment, peripheral neuropathy	
		upper respiratory	
		tract irritation	
1,3- Butadiene			
106-99-0	5 ppm STEL	4.4 mg/m3, 2ppm	
	1 ppm TWA		





Appropriate engineering controls:

No engineering controls are likely to be required to maintain operator

comfort under normal conditions of use.

Individual protection measures, such as personal protective equipment:

Respiratory Protection:

Effective Dust Mask

Eve Protection:

Safety glasses with side shields are recommended

Skin Protection:

Not normally considered a skin hazard. Where use can result in skin contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving

work.

Other protective equipment:

Gloves may be required when processing sheet due to sharp edges and

when plastic is in the molten state.

General hygiene conditions:

Wash hands thoroughly after handling. Wear protective gloves,

protective clothing, eye protection and face protection.

9. Physical and chemical properties

Appearance (physical state, color, etc.):

Appearance (physical state):

Solid Polystyrene Sheet

Color:

No data available None

Odor:

No data available

pH:

No data available

Melting point: Initial boiling point and boiling range: 270 F (>132 C)

Flash point:

Odor threshold:

No data available No data available

Evaporation Rate:

Not determined

Flammability (solid, gas):

No data available

Upper/lower flammability or explosive limits:

Upper flammability or explosive

No data available

limits:

Lower flammability or explosive

No data available

limits:

Vapor pressure:

No data available

Vapor density:

No data available

Relative density:

1

Solubility(ies):

Not determined

Partition coefficient: n-octanol/water:

No data available

Auto-ignition temperature:

824 F (440 C)

Decomposition temperature:

> 572 F (300 C)

Viscosity:

No data available

10. Stability and reactivity

Reactivity:

No data available

Chemical stability:

Stable under normal conditions.

Page 4 of 8





Possibility of hazardous reactions:

Conditions to avoid (e.g., static

discharge, shock, or vibration):

None known None known.

Incompatible materials:

None Known

Hazardous decomposition products:

Irritating or toxic gasses may occur by fire

11. Toxicological information

Information on the likely routes of

exposure (inhalation, ingestion, skin

and eye contact):

Symptoms related to the physical,

chemical and toxicological

characteristics:

No data available

See data in this section

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation:

No data available

Inhalation Toxicity:

No data available

Skin Contact:

No information regarding skin irritation.

Skin Absorption:

No data available

Eye Contact:

No information regarding eye irritation.

Ingestion Irritation:

No data available No data available

Ingestion Toxicity: Long-Term (Chronic) Health Effects:

Carcinogenicity:

No data available

Reproductive and Developmental

No data available to indicate product or any components present at

Toxicity:

greater than 0.1% may cause birth defects.

Mutagenicity:

No data available to indicate product or any components present at

greater than 0.1% is mutagenic or genotoxic.

Numerical measures of toxicity (such as acute toxicity estimates).

Chemical name	LD50 Oral	LD50 Dermal	LC50 Inhalation:
No data available			

Is the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA.

Chemical name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
None			

12. Ecological information

Ecotoxicity (aquatic and terrestrial,

No data available

where available):



Ecotoxicity Data:

Chemical component	CAS#	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available				

Persistence and degradability:

No data available

Bioaccumulative potential:

No data available

Mobility in soil:

No data available

Other adverse effects (such as

No data available

hazardous to the ozone layer):

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:

Waste treatment methods:

Dispose of contents and container in accordance with

local/regional/national/international regulations. Recycle if possible.

14. Transport information

International carriage of dangerous goods by road (DOT), rail or inland waterways:

UN number:

UN proper shipping name:

DOT & IATA: NOT RESTRICTED

Transport hazard class(es):

NA

Packing group, if applicable:

NA

International carriage of dangerous goods by sea (IMDG/IMO):

UN number:

Not applicable

UN proper shipping name:

Not applicable

Transport hazard class(es):

NA

Packing group, if applicable:

NA

International carriage of dangerous goods by air (IATA):

UN number:

Not applicable

UN proper shipping name:

No data available

Transport hazard class(es):

NA

Packing group, if applicable:

NA

Environmental hazards (e.g., Marine

No

pollutant (Yes/No)):

Transport in bulk (according to Annex II

No data available

of MARPOL 73/78 and the IBC Code): Special precautions which a user needs

No data available

to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside

Page 6 of 8



their premises:

15. Regulatory information

Safety, health and environmental regulations specific for the product in question:

International Inventories:

TSCA (US/	A)	All Listed on TSCA	1		

DSL (Canada)	All Listed on DSL	

Chemical component	CAS#	EINECS (Europe)
Listed		

Restriction of Hazardous Substances Directive:

Chemical component	CAS#
No known ROHS substances contained in this product	

REACH - Substances of Very High Concern (Based on List dated July 7, 2017):

Chemical component	CAS#
No known SVHC substances contained in this product	

Regulated components:

Chemical component	CAS#	CERCLA	Canada- WHMIS Classification	California Prop 65	SARA EHS	SARA 313
Styrene	100-42-5	Yes	BD2	Yes	Yes	Yes
1,3-Butadiene	106-99-0	Yes	No	Yes	Yes	Yes

SARA Title III Section 311/312 Category Hazards:

Immediate (acute)	Delayed (chronic)	Fire Hazard	Pressure Release	Reactive
No	No	No	No	No

16. Other information, including date of preparation or last revision

Revision Date:

09-19-2017

Revision Number:

12

Disclaimer: The information in this SDS pertains only to the product as shipped. Information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. THIS SAFETY DATA SHEET IS PROVIDED BY Primex Plastics Corporation. PURSUANT TO OSHA REGULATIONS, 29 CFR 1910.1200. THE INFORMATION PROVIDED IN THE SHEET IS TRUE AND ACCURATE AS THE DATE INDICATED, TO THE





BEST OF OUR KNOWLEDGE. THE INFORMATION IS NOT INTENDED TO COVER EVERY CONCEIVABLE USE OF HANDLING OF THE MATERIAL, AND ACTUAL CONDITIONS OF USE AND HANDLING MAY REQUIRE CONSIDERATIONS OR INFORMATION OTHER THAN, OR IN ADDITION TO, THAT WHICH IS CONTAINED IN THIS SHEET. THE INFORMATION CONTAINED HEREWITH ON THIS MATERIAL WITHOUTSHOULD NOT BE THE ONLY REFERENCE, NOR SHALL NOT BE CONSTRUED AS, A REPRESENTATION OR WARRANTY OF ANY KIND WHATSOEVER, IN CONNECTION WITH THE USE OF DISTRIBUTION OF THE MATERIAL OR THE MATERIAL ITSELF.